

REFERENCES:

- 1- John A.Kiernan: BARR's Human Nervous system, 8th edition, Lippincott Williams & Wilking, Philadelphia, 2005; P:269.
- 2-Break, H., Del Tredici,K.,etal: Staging of brian pathology related to sporadic Parkinson's disease, Neurobiol, 2003; Vol.24, PP:197-211.
- 3- Ponsen,M., Stoffers, D., Bodij, J et al: idiopathic hyposmia as a preclinical sign of parkinson's disease. Ann Neurol; 2004, Vol. 64, PP:173-181.
- 4- Tebert, M.tt., Lin, X., Doty, R.L., et al. A 10-item smell indentification scale related to risk for Alzheimer's disease, Ann Neurol; 2005, Vol. 58; PP: 155-160.
- 5- Doty R.L, Mannon L.J & Yousem D.M: olfactory dysfunction in multiple sclerosis, N Engl J M, 1997. Vol.:336, PP:1918-19.
- 6- Reuber.M & AL-Din A.S.N: New variant Creutzfeldt-Jacob disease presenting with loss of taste and smell, J Neurol Neurosurg Psychiatry 2001, Vol.:71, PP:412-413.
- 7- Small D, M., Jones-Gotman M., et al: Gustatory agnosia, Neurology; 2005, Vol.17, PP:311-317.

8- Cereda C., Chika.J, et al: Stroke restricted to the insular cortex, 2002, Vol.:59, PP:1950-55.

9- Mathews, M.K: Non arteritic anterior ischemic optic neuropathy, Curr Opin ophthalmol; 2005, Vol.16, PP:341-345.

10- Allan H.Ropper, Robert H.Brown: Adams and victors's principles of neurology, 8th ed, McGraw-Hill, New York; 2005, P:215.

11- Fran J.W, Kushner B.J & France T.D: Paradoxical papillary phenomena; A review of patients with papillary constriction to darkness. Arch ophthalmol, 1988, Vol.:106, PP:1564.

12- Larner A.J; A dictionary of neurological signs, second edition, Springer, Liverpool, U.K, 2006, P:186

13- Dhaliwal, A., West, A.L., Trobe, J.D., et al: Third, Fourth and Sixth cranial nerve palsies following closed head injury, J Neuro ophthalmol; 2006, Vol.26, PP:4-10.

14- Spillane J.D, Wells CEC;Isolated trigeminal neuropathy: A report of 16 Cases. Brain 1959, Vol 82,P:391

15- Rosen C.A., Andrade Filho P.A, et al, oropharyngeal complications of suspension laryngoscopy: A prospective study, *Laryngoscop*, 2005; Vol.:115, PP:1681-84.

16- Thoeny H.C., Beer, K.T, Vock, P., et al. Ear pain in patients with oropharynx carcinoma: how MRI contributes to the explanation of a prognostic predictive symptom, *Ear Radiol*, 2004; Vol.:14, PP:2206-11.

17- Benarroch E.E., Schmeihei, A.M., Sandroni, P; et al. Involvement of vagal autonomic nuclei in multiple system atrophy and lewy body disease, *Neurology*, 2006; Vol.:66, PP:378-83.

18- Chan P.K, Hems T.E, Clinical signs of accessory nerve palsy, *J Trauma*, 2006; Vol.:60, PP:1142-44.

19- Paul W.Brazis, Joseph C. Masden, and Jose Biller: *Localization in clinical neurology*, third edition, Little-Brown and company, New York, 1996, P: 337.

20- Aminoff P:228

21- Allan H.Ropper, Robert H.Brown: *Adams and Victor's principles of neurology*, 8th edition, McGraw-Hill, New York, 2005. P:844.

22- Leigh, R.J. & Zee, D.S: *the Neurology of Ocular Movements*, 4th ed, Oxford university press, New York, 2006.

- 23- Pierrot-Deseilligny, C., Rivand, S., Gaymard, B., et al: cortical control of Saccades. *Ann Neurol*,..... Vol.37, PP: 557-565.
- 24- Paul W.Brazis, Joseph C. Masden, and Jose Biller: *Localization in clinical neurology*, third edition, Little-Brown and company, New York, 1996, P: 203.
- 25- Miller, N.R., Biousse, V., Hwang, T., et al: Isolated acquired unilateral horizontal gaze paresis from a putative lesion of the abducens nucleus, *J Neuro-ophtholmo*, 2002; Vol.22, PP: 204-207.
- 26- Dorevitch, A: Neuroleptics as a cause of oculogyric crisis. *Arch. Neurol*, 1984; 41:15,.
- 27- Liu, G.T.et al: Delayed oculogyric crisis associated with striato-capsular infarction, *J.clin Neuro ophthalmol*; 1991, 11:198.
- 28- Hayman, M. Harvey, A.S et al: Paroxysmal tonic upgaze: A reappraisal of outcome. *Ann Neuro*, 1998; Vol.43; PP: 514-520.
- 29- Johkara, K.Komiyana, A. & Kuroiwa, y: Vertical conjugate eye deviation in postresusciation coma, *Ann Neurol*, 2004; Vol.56, PP: 878-881.
- 30- A.J.Larner: *A dictionary of neurological signs*, second edition, springer, Liverpool. U.K, 2006, P: 186.
- 31- Brodsky, M.C., & Donahue, S.P., Primary oblique muscle overaction, the brain throws a wild pitch, *Arch ophthalmol*, 2001; Vol.119, PP:1307-1314.

- 32- Moster, M.L., et al: alternating Skew on lateral gaze (bilateral abducting hypertropia, Ann neurol), 1988; 23:190.
- 33- Keane, J.R: Alternating Skew deviation: 47 patients. Neurology, 1985; 36: 725.
- 34- Esaki, H. and shinji, O.Skew deviation in Fisher's syndrome. Neuro-ophthalmol. 1992; Vol., P:66.
- 35- Akbarihamed, A., et al: Alternating Skew on lateral gaze (bilateral adducting hypotropia). Neuron-ophthalmology, 1992; 12:141.
- 36- Straube, A. Dubel, H.et al: Differential effect of a bilateral deep cerebellar nuclei lesion on externally and internally triggered saccades in humans, Neuro-ophthalmology. Vol.15, 1995; PP: 67-74.
- 37- Buthner, V & Straube.A. The effect of cerebellar lesions on eye movements. Neuron-ophthalmology. 1995; Vol. 15, PP: 75-82.
- 38- Vahedi, K., Revaud, S.Amarengo, and P: Harizontal eye movement disorders after posterior vermis infarctions, J.Neurol Neurosurgry psychiatry. 1995; Vol. 58, PP:91-94.
- 39-Allan H.Ropper, Robert H.Brown: Adams and Victor's principles of neurology, 8th edition, McGraw-Hill, New York, 2005. PP:1228-29.
- 40- Leigh, R.J and Zee D.S: The neurology of eye movment 2nd edition, Philadelphia, Davis 1991.

- 41- Mossman, S., & Halmagyi, G.M: Partial ocular tilt reaction due to unilateral cerebellar lesion, *Neurology*. 1997; Vol. 49, PP: 491-493.
- 42- Criscuolo, C., Mancini, P., Sacca, F et al, Ataxia with oculomotor apraxia type in southern Italy: late onset and variable phenotype, *Neurology*. 2004; Vol.63, PP: 2173-2175.
- 43- Diesing, T.S., Wijdick, E.F. Ping-Pong gaze in Coma may not indicate persistent hemispheric damage, *Neurology*. 2004; Vol. 63; PP: 1537-1538.
- 44- Yee, R.D., et al: Abnormal eye movements in Gerstmann-Straussler-Scheinker disease, *Arch. Ophthalmol*, 1992; 11:68.
- 45- Rascol, O.et al: Square-wave jerks in parkinsonian syndromes. *J.Neurol. Neurosurg. Psychiatry*, 1991; 54:599.
- 46- Digre, K.B: Opsoclonus in adults-report of three cases and review of the literature, *Arch Neurol*. 1986; 43:1165.
- 47- Hattoria, T.et al: Opsoclonus showing only during eye closure in hereditary cerebellar ataxia. *J.Neurol. Neurosurg. Psychiatry*, 1988; 5:1572.
- 48- Grant, A.C., Jain, V., & Bose, Epileptic monocular nystagmus, *Neurology*, Vol.59, 2002; PP: 1438-1441.

49- Cguam B., & Hain, T.C, Periodic alternating nystagmus provoked by an attack of Meniere 's disease. J Clin Neuro-ophthalmol. 2002; Vol.22, PP: 107-109.